

			Weight (Kg)	
Quant.	Description		Unit	Extended
	INSTALLATION			47,118
		FRAMES		18,663
146		FRAM.101 900X 110CM.	101.77	14,858.13
17		FRAM.101 1100X 110CM.	123.74	2,103.58
13		FRAM.122 900X 110CM.	130.90	1,701.65
		BEAMS		28,092
1018		BEAMS 2C-S 1515 360CM.	23.41	23,829.34
196		BEAMS 2C-S 1115 270CM.	15.10	2,959.60
60		BEAMS 2C-S 1315 360CM.	21.72	1,303.02
		ACCESSORIES		363
219		ST.UNION FRAM.96 030CM	0.62	136.22
578		ANCHOR BOLTS MKD M12X 30	0.08	48.55
326		SHIMSGC 100 E= 3	0.43	140.18
163		SHIMSGC 100 E= 1	0.14	23.31
26		SHIMSGC 120 E= 3	0.48	12.61
13		SHIMSGC 120 E= 1	0.16	2.11
	VERTICAL CROSS BRACING			692
64	ST.C.BRAC.UNIONS P100 150		4.93	315.65
56	TENSIONERS C.BRACING CV		0.75	41.83
32	HANDRAIL C.BRA.40X3,5 376CM.		4.13	132.22
24	VL-HANDRAIL C.BRA.40X3,5 3856MM.		4.24	101.69
32	ST.ARMS UNION CROSS BRAC.99		0.78	24.80
9	ST.C.BRAC.UNIONS P100 100		4.16	37.44
224	BOLTS M12X 30 D933 8.8 B T.2A		0.07	14.78
4	CROSS BRAC. C-418 3563MM.		4.58	18.32
1	ST.C.BRAC.UNIONS P120 100		4.44	4.44
16	BOLTS M 8X 30 D933 8.8 B TE1A		0.02	0.35

	HORIZONTAL CROSS BRACING		420
100	CROSS BRAC. C-415 3649MM.	3.91	390.90
200	BRACKETS CROSS BRACING HORIZ. D 97	0.07	14.60
147	BOLTS M 8X 90 D931 8.8 B TE1A	0.05	6.91
147	SEPARATORS CROS.FRAME. 70MM.	0.03	3.67
200	BOLTS M 8X 20 D933 8.8 B TE1A	0.02	4.00
3	SEPARATORS CROS.FRAME. 90MM.	0.04	0.12
3	BOLTS M 8X110 D931 8.8 B TE1A	0.06	0.17
	GUARD MESH		3,184
207	SHELF SEAL MESH AML 2200X1200	11.10	2,297.91
29	SHELF SEAL MESH AMLC 1100X1200	6.23	180.58
187	ST.CONNECTOR MRL 198 E09	1.64	306.87
21	SHELF SEAL MESH AML 2200X 600	7.48	157.08
37	ST.PROFILE ANGLE 1200	1.98	73.19
22	ST.PROFILE ANGLE 2200	3.63	79.77
1550	CJ.TORNILLOS CT CA 615	0.01	12.40
5	SHELF SEAL MESH AMLC 1100X 600	4.08	20.38
2	SHELF SEAL MESH AMLC 1100X1000	5.51	11.02
47	ST.UNION SPLICE RG	0.28	13.35
14	ST.CONNECTO MRL 148 E09	1.09	15.30
1	SHELF SEAL MESH AML 2200X1000	9.89	9.89
5	ST.PROFILE ANGLE 600	0.99	4.95
1	ST.PROFILE ANGLE 1000	1.65	1.65
	PROTECTORS / REINFORCES		849
129	PROTECTORS UPR-FRAME 400 S-100 W/A	5.92	763.29
12	PROTECTORS UPR-FRAME 400 S-120 W/A	7.14	85.68
	PROTECTORS / REINFORCES		599
34	PROTECTORS UPR-FRAME 400 S-100 W/A	5.92	201.18
17	PROFILES MPL 925 235CM.	10.84	184.23
17	ST.PROTECTORS FOOT INTER.UPN E57	5.77	98.14

4	ST.PROTEC.FRAME.SIM.110 U-100	17.68	70.71
1	ST.PROTEC.FRAME.SIM.110 U-120	20.12	20.12
34	CONNECTOR M92 E09	0.56	19.11
68	CJ.TORNILLOS CT AB 1025	0.05	3.20
34	CJ.TORNILLOS CT AB 1230	0.07	2.55
	TUNNEL BAY		262
22	WIRE MESH SHELVES 1340X1100 4T	8.85	194.74
11	WIRE MESH SHELVES 880X1100 3T	6.14	67.59

122	BEAMS 2C-S 1515 360CM.
16	BEAMS TB-S 120 270CM.